INDEX OF AUTHORS
Volume 23, 1983

A

Algermissen, J. See Nötzold, D.
Arai, N., Hasatani, M., and Sugiyama, S.
Mechanism of combustion in a nitrogen-oxygen atmosphere of the char produced by the pyrolysis of surplus activated sludge 99
Aratani, T. See Kubo, K.
Aragon Romero, J.M. See Gutierrez Jodra, L.

B

Bai, N.
Evaluation of the activation energy for chemisorption of oxygen and hydrogen on the transition metals 275
Bauer, J. See Machek, V.
Bondarenko, V.N. See Tishchenko, Z.V.
Bonnin, J.
The energetics of trithermal systems 213
Bourdin, E. See Fauchais, P.
Bouvier, J.-M., Farhadi, F., and Gelus, M.
A new method for upgrading rubber wastes 645
Burghardt, A. and Warmuzinski, K.
Diffusional methods of calculation for multicomponent systems in rectification columns. I. Models of equimolar and nonequimolar mass transfer 342
Burghardt, A. and Patzek, T.W
Mass and energy transport in porous, granular catalysts in multicomponent and multireaction systems 739

C

Charcosset, H.
Current status of basic reasearch on industrial-type, bimetallic platinum-based catalysts on alumina supports (Parts I-III) 187
(Parts IV and V) 411
Charpentier, J.-C. See Laurent, A.
Chin, G., Kimura, S., Tone, S., and Otake, T.
Gasification of coal char with steam (Part I). Analysis of reaction rate 105
(Part II). Pore structure and reactivity 113
Choi, C.K. See Yeo, Y.K.
Chun, H.S. and Kang, W.K.
The reaction-rate distribution in a fluidized-bed electrode reactor 121
Churchill, S.W.
Selected Publications of Wilhelm Nusselt and Ernst U. Schmidt, ed. by R. Grigull (book review) 356
Coudert, J.F. See Fauchais, P.
Crine, M. and Marchot, P.
Cocurrent downward gas-liquid flows in granular packed beds (Part I). Description of liquid flow structures 663

D

Danilov, Yu. B. See Kasyanenko, M.K.
Delhaye, J.M.
Two-phase pipe flow 385
Dialer, K.
Development trends in catalytic fluid reactions 439
Dimian, A.
Mass transfer with an *n*-th order chemical reaction in dispersed fluid-fluid systems 149

E

Eckermann, R
A physical property data bank for chemical engineering 1
Ehrhardt, G.
Flow measurements for wire gauzes 455

F

Farhadi, F. See Bouvier, J.-M.
Fauchais, P., Bourdin, E., and Coudert, J.F.
Generalities on the physical and chemical processes in a thermal plasma 238
Fokin, V.S. See Kasyanenko, M.K.
Fujinawa, K. See Imaishi, N.
Fujiwara, S. See Toyokura, K.

G

Gelus, M. See Bouvier, J.-M.
Goto, S. See Shitaokoshi, S.
Gropp, U., Schnabel, G., and Schlünder, E.U.
The effect of liquid-side mass transfer resistance on selectivity during partial evaporation of binary mixtures in a falling film 11
Gutierrez Jodra, L. and Aragon Romero, J.M.
Prediction of the bubble-size distribution in fluidized beds with internal baffles 18

H

Hanika, J. See Machek, V.

Hara, H. See Shimada, K.
Harada, E. See Konno, H.
Hasatani, M. See Arai, N.
Hashimoto, I. See Takamatsu, T.
Hatano, H. and Ishida, M.
The continuous measurement of local concentration with an optical-fiber probe 682
Hayashiguchi, S. See Maruyama, T.
He, D., Xiong, C., and Yu, Y.
The characteristics of a cup-jet absorber.....725
Higuchi, K. See Otake, T.
Hozawa, M. See Suzuki, Y.

I

Imai, O. See Shimizu, T.
Imaishi, N., Suzuki, Y., Hozawa, M., and Fujinawa, K.
Theoretical study of interfacial turbulence in gas-liquid mass transfer, applying Brian's linear-stability analysis and using numerical analysis of unsteady Marangoni convection.....466
Inada, S. See Miyasaka, Y.
Ishida, M. See Hatano, H.
Iuchi, S. See Kawashima, Y.
Iwano, M. See Yokota, T.
Iwata, M. See Shirato, M.
Izumi, T. See Miyasaka, Y.

J

Janáček, L. See Jiratova, L.
Jiang, B. See Ma, P.
Jiratova, K. and Janáček, L.
Effect of peptizing on the physical and chemical properties of extruded alumina 167
Jomoto, Y. See Shimada, K.

K

Kaneki, N. See Shimada, K.
Kang, W.K. See Chun, H.S.
Kasaoka, S., Sakata, Y., Kayano, S., and Masuoka, Y.
The development of rate expressions and the evaluation of reactivity for gasification of various coal chars with steam and oxygen 477
Kasyanenko, M.K., Fokin, V.S., Konvisar, V.I.
Danilov, Yu. B., and Kibitkin, V.I.
Heat transfer in concentrators with external boiling zone and natural circulation 766
Kawachi, K. See Takamatsu, T.
Kawamura, Y. See Nishimura, T.
Kawashima, Y., Nakagawa, M., and Iuchi, S.
The heat transfer characteristics of a two-dimensional, right-angled, T-shaped flow junction..... 510, 717
Kayano, S. See Kasaoka, S.
Khavin, A.A. See Zozulya, N.V.
Kimura, S. See Chin, G.
Kitamura, Y. and Takahashi, T.
A method of correlating the spread of oil slicks.....672
Kitamura, Y., Morimitsu, H., and Takahashi, T.
The one-dimensional spread of oil slicks in the regime controlled by gravity and inertia 532
Kittel, H. and Svajgl, O.
Control and evaluation of catalysts in catalytic reforming of gasoline 568
Kohya, T. See Konno, H.
Konno, H., Kohya, T., Toda, M., Saito, T., Kuriyama, H., and Harada, E.
Heat transfer from a thin horizontal wire and large cylinders in a corona wind 91
Konvisar, V.I. See Kasyanenko, M.K.
Krasnov, V.I., Volin, Yu. M., and Ostrovskii, G.M.
Application of graph theory methods in the solution of sparse systems of equations.....752
Kubo, K., Aratani, T., and Mishima, A.
Axial mixing characteristics of packed beds. Analysis based on side-mixing model 85
Kuriyama, H. See Konno, H.
Kuroda, M. See Sato, M.
Kusunoki, K. See Nakano, K.

L

Laurent, M.
Comparative and critical study of some methods for determining the properties of heat conducting solids 31
Laurent, A. and Charpentier, J.-C.
The use of experimental laboratory-scale models in predicting the performance of gas-liquid reactors 265
Lebon, G. and Mathieu, Ph.
Comparison of diverse theories of nonequilibrium thermodynamics 651
Le Goff, P.
Optimization of the regenerative and replacement cycles of a catalyst. A very simple zero-order model 225
Leonova, V.I. See Zozulya, N.V.
Lintz, H.-G. and Weber, W.
An experimental study of mixing in continuous stirred-tank reactors using an autocatalytic reaction.
Part I. Aim and principle of the method.....618
Part II. Experimental approach and results 624

M

Ma, P., Jiang, B., and Zhang, J.
Critical assessment and temperature correlations of viscosity data for gaseous substances at atmospheric pressure 127
Machek, V., Hanika, J., Sporka, K., Růžička, V., and

Bauer, J.
Determination of metal dispersion in a platinum-supported catalyst 351
Marchot, P. See Crine, M.
Maruyama, T., Hayashiguchi, S., and Mizushina, T.
Optimum conditions for jet mixing in turbulent pipe flow 707
Masuoka, Y. See Kasaoka, S.
Mathieu, Ph. See Lebon, G.
Matsuba, Y. See Miyahara, T.
Matsumoto, Y. See Okamoto, N.
Matsuno, R. See Tsujimoto, S.
Mishima, A. See Kubo, K.
Miyahara, K. See Sadotomo, H.
Miyahara T., Haga, N., and Takahashi, T.
Bubble formation from an orifice at high gas flow rates 524
Miyahara, T., Matsuba, Y., and Takahashi, T.
Size of bubbles generated from perforated plates 517
Miyasaka, Y., Inada, S., and Izumi, T.
Study of boiling-characteristic curves in subcooled pool-boiling of water 48
Miyazaki, S. See Sato, M.
Mizushina, T. See Maruyama, T.
Morimitsu, H. See Kitamura, Y.
Murase, T. See Shirato, M.

N

Nakagawa, M. See Kawashima, Y.
Nakamura, M., Tashita, K., and Sugiyama, S.
Radial liquid mixing in a packed bed with gas-liquid cocurrent upflow 307
Nakano, K. and Kusunoki, K.
Adsorption of benzene during hydrogenation over a palladium-alumina catalyst 675
Nakao, K. See Otake, T.
Niki, H. See Okamoto, N.
Nishimura, T. and Kawamura, Y.
Flow pattern in the region of separation on a single cylinder 78
Nötzold, D. and Algermissen, J.
A numerical study of the formation of prompt-NO in mixtures of acetylene, oxygen and nitrogen 611

O

Ohrui, T. See Shimizu, T.
Okamoto, N., Matsumoto, Y., and Niki, H.
Application of the finite-element method to the convection-diffusion problem 339
Ostrovskii, G.M. See Krasnov, V.I.
Otake, T., Tone, S., Higuchi, K., and Nakao, K.
Light-intensity profile in gas-liquid dispersion. Applicability of effective absorption coefficient.....288
Otake, T. See Chin, G.

P

Patzek, T.W. See Burghardt, A.

R

Riekert, L.
The possibilities and limitations of a deductive approach to the development of industrial catalyst.....449
Růžička, V. See Machek, V.

S

Sadotomo, H. and Miyahara, K.
Calculation procedure for multicomponent batch distillation 56
Saito, A. See Yokota, T.
Saito, T. See Konno, H.
Sakai, T. See Sato, M.
Sakakibara, Y. See Shimizu, T.
Sakata, Y. See Kasaoka, S.
Sasaki, T. See Shimada, K.
Sato, M., Miyazaki, S., Kuroda, M., and Sakai, T.
Formation of uniformly sized bubbles in synchronization with an AC frequency 72
Schlünder, E.U.
Heat transfer in nucleate boiling of mixtures 589
Schlünder, E.U. See Gropp, U.
Schlüter, L. and Schmidt, R.
A present trend in rectification: energy saving ...427
Schmidt, L. See Schlüter, L.
Schnabel, G. See Gropp, U.
Scholand, E.
Modern procedures for the calculation of radiant heat transfer in direct-fired tubed furnaces 592
Shibauchi, T. See Toyokura, K.
Shimada, K., Hara, H., Sasaki, T., Kaneki, N., and Jomoto, Y.
Gas produced by coal carbonization in a pressure-fluidized bed 333
Shimizu, T., Imai, O., Sakakibara, Y., and Ohrui, T.
Stability of ammonia burners 486
Shinkawa, T.
Mean thickness of the liquid film in the annular film-flow region of gas-liquid two-phase flow in a vertical tube.....315
Shirato, M., Murase, T., and Iwata, M.
Pressure profile of a Bingham fluid in constant-pitch, straight-taper and decreasing-pitch screw extruders..... 323, 689
Shitaokoshi, S., Goto, S. and Teshima, H.
Hydrolysis of ethyl formate in a tube-wall catalytic reactor 503
Sieniutycz, S. and Szwast, Z.
A discrete algorithm for optimization with a constant Hamiltonian, and its application to chemical engineering 155

Sporka, K. See Machek, V.
Sugiyama, S. See Arai, N.
Suzuki, Y. See Imaishi, N.
Szwast, Z. See Sieniutycz, S.

T

Takahashi, T. See Kitamura, Y.
Takahashi, T. See Miyahara, T
Tadaki, T. See Yokota, T.
Takamatsu, T., Hashimoto, I., Kawachi, K., and Yamashita, K.
Decoupling control of a multicomponent distillation column using a pseudobinary model 699
Teshima, H. See Shitaokoshi, S.
Thullie, J. See Zaleski, T.
Tinsley, Jr. R.
Glossary of Terms in Heat Transfer, Fluid Flow, and Related Topics by W. Begell (book review) 356
Tishchenko, Z.V. and Bondarenko, V.N.
Comparison of the efficiency of smooth-finned plate heat exchangers 559
Toda, M. See Konno, H.
Toei, R. See Tsujimoto, S.
Tokumoto, S. See Toyokura, K.
Tone, S. See Chin, G.
Tone, S. See Otake, T.
Toyokura, K., Shibauchi, T., Uchiyama, M., Tokumoto, S., and Fujiwara, S.
Growth rate of needle crystals of gypsum in a fluidized-bed crystallizer 65
Tsujimoto, S., Toei, R., and Matsuno, R.
The vapor-liquid equilibria of dilute aromatics components in aqueous solutions of nonvolatile food-related substances 536

U

Uchiyama, M. See Toyokura, K.

V

Villermaux, J.
Perspectives for chemical engineering research.
French policy 634
Volin, Yu. M. See Krasnov, V.I.

W

Warmuzinski, K. See Burghardt, A.
Weber, W. See Lintz, H.-G.

X

Xiong, C. See He, D.

Y

Yamashita, K. See Takamatsu, T.
Yeo, Y.K. and Choi, C.K.
Thermal instability in plane Poiseuille flow heated from below 281
Yokota, T., Iwano, T., Saito, A., and Tadaki, T.
Photochlorination of toluene in a bubble-column photochemical reactor 494
Yu, Y. See He, D.

Z

Zaleski, T. and Thullie, J.
Mathematical model of a multichannel cross-flow heat exchanger. I. Temperature profiles 561
Zhao, M.
Method of minimization of free energy in the calculation of complex chemical equilibria 541
Zhang, J. See Ma, P.
Zhang, L. See Zhong, S.H.
Zhong, S.J. and Zhang, L.
Structure and catalytic function of Sb-Fe-Sn oxide for ammoxidation of propylene to acrylonitrile 139
Zozulya, N.V., Khavin, A.A., and Leonova, V.I.
The influence of the sparseness of finned tube bundles on their thermal and aerodynamic characteristics 558